



Building Inspection

Procedure for Gas Releases

May 30, 2017

Residential

- 1) Any Residential property that has a gas system that has been altered or repaired requires a gas test and must be released by the City of Denison before service can be restored. A permit is required by the City of Denison Building Inspection Division for the repair or alteration.
- 2) Gas appliances that are the source of a gas leak do not require a gas test and do not require a release from the City of Denison.
- 3) Where a gas service has been disconnected due to a leak, a gas test and release from the City of Denison is required before service may be restored by Atmos. A permit is required by the City of Denison Building Inspection Division to verify the pressure test.

Commercial

- 1) Any change in responsible parties requires a release from the City of Denison.
- 2) Any Commercial property that has a gas system that has been altered or repaired requires a gas test and must be released by the City of Denison before service can be restored. A permit is required by the City of Denison Building Inspection Division for the repair or alteration.
- 3) Gas appliances that are the source of a gas leak do not require a gas test and do not require a release from the City of Denison.
- 4) Where a gas service has been disconnected due to a leak, a gas test and release from the City of Denison is required before service may be restored by Atmos. A permit is required by the City of Denison Building Inspection Division to verify the pressure test.

- Notes:**
- 1) Where gas tests are referenced above, the test refers to the test conducted by the City of Denison and does not reflect the requirements of Atmos Energy. A permit is required from the City of Denison Building Inspections Division.
 - 2) Gas system applies to the gas lines that exist from the gas meter to the final stop. Appliances are not a part of the gas system.
 - 3) Any permit involving the repair or alteration of a gas system must be obtained by a licensed responsible master plumber or by the owner of homesteaded property per Texas law. Where no work is done and only a pressure test is performed, the permit may be issued to a non-licensed individual.